



Bobcat®

T250



LOADERS

Take that job and push it !

T250 Compact Track Loader

Impressive pushing power and tractive effort are provided by a Kubota 58 kW, 4-cylinder, turbo-charged, diesel engine and 450 mm wide tracks. A 80.3 l/min pump and 227.5 bar relief give the T250 excellent hydraulic breakout and lifting capabilities as well as power for running attachments, including the Brushcat® rotary cutter, dozer blade, landscape rake, stump grinder, tiller and others.

That's a lot of muscle in such a compact machine — only 2.05 m high, 2.03 m wide and 3.63 m long!

New Bobcat T250 Compact Tracked Loader delivers superior traction and plenty of power!

Experience the incredible strength and smooth ride of the T250 compact track loader. It's the perfect machine for handling heavy loads.

The T250's dedicated 450 mm rubber track system keeps you working in soft, muddy ground conditions, taking care of tough jobs in almost any weather.

A wide choice of Bobcat attachments adds to the productivity and versatility of this operator-friendly, cost-effective machine. Like all Bobcat loaders, the T250 is designed to be rugged, dependable and easily serviceable.



1200 kg	3109 mm	607 mm	10.1 km/h	58 kW	80.3/151.4 l/min
Rated Operating Capacity	Lift Height	Reach	Travel Speed	Turbo-Charged Diesel Engine	Auxiliary flow/ High-flow



Get in earlier, finish faster

extend your working season with the powerful, versatile T250 compact track loader! Keep crews working even when the weather won't cooperate!

450 mm tracks

The loader's unique track system produces a smooth ride as well as the added traction you need for tough digging applications. The tracks also provide low 28.3 kPa ground pressure, making the T250 ideal for working in soft ground conditions.


Other performance features include a transverse-mounted engine for single-side servicing, dual path cooling, sealed and lubricated roller bearings, unsurpassed operator comfort and security and cushioned tilt cylinder.





Choice of Attachments

As with any Bobcat loader, you can count on a variety of quick-mounting Bobcat attachments for the T250. The operator can easily replace a bucket with a backhoe, pallet fork, landscape rake, sweeper, tiller, grapple and many more. Hookup is easier with the new optional Power Bob-Tach™ mounting system!



Exclusive Bob-Tach™ System

For fast, secure attachment changes. Bob-Tach frame (A) moves into attachment flange (B). Handle (C) pushes down easily, pressing wedge (D) through frame and attachment hole for solid connection. Power Bob-Tach available !

Greater Comfort

- The T250 cab is operator-friendly, designed for maximum comfort and functionality.
- With its larger cab opening, the loader is easy to enter and exit.
- The innovative seat bar pivots from the rear, providing secondary restraint protection and serving as a comfortable armrest for operators of all sizes.
- High-output halogen headlamps double the amount of illumination to the work area for better operation in low light.
- The T250 also features a new, easy-to-read, highly functional instrument panel, along with a number of value-added options.
- Air conditioning is available in the fully climate-controlled cab.

More Options

- Factory- or field-installed deluxe instrument panel includes keyless start, feature lockouts, attachment operation help screens, monitoring and diagnostic functions.
- High-flow auxiliary hydraulics operate attachments such as Brushcat® rotary cutter and stump grinder.
- Fully-adjustable suspension seat for all-day operator comfort.
- Cab heater and air conditioning.
- Power Bob-Tach™ mounting system.

Added Value

Couple all the work-saving features of the model T250 with proven power and smooth ride, and you have a compact track loader that delivers optimum performance on every jobsite!

With the Bobcat T250, you get more than an exceptional loader. You also get the support of a worldwide network of Bobcat dealers offering industry-leading attachments, accessories and parts availability. Their factory-trained service technicians are equipped to handle all your parts and service requirements, including engine and hydrostatic/ hydraulic components. There's an excellent warranty program, too. Get all the details from your Bobcat dealer.

Comfort and operator-friendly performance!

The Bobcat Standard

Combine all these outstanding features with ease of operation, versatility, manoeuvrability, wide choice of attachments, worldwide dealer support, service backup, parts availability and high resale, and it all adds up to **total value that can't be matched.**



Track tensioning. Track adjustment is easily accomplished by adding grease to the tensioning cylinder.



Coil spring absorbs varying loads when working in tough applications.



Permanently lubricated idlers and rollers.

Fully sealed and grease-lubricated for life. No maintenance is required.



The Bobcat belt drive advantage

means Bobcat loader engines can be run slower, resulting in a quieter machine that lasts longer and uses less fuel. This system also maximizes pump efficiency and minimizes steering lever effort.



Built-in safety. The Bobcat Interlock Control System (BICSTM) requires the operator to be seated in the loader with the seat bar in place and the engine running.



Clean cooling. The exclusive Bobcat dual path cooling system brings clean, cool air from above, through the engine and hydraulic oil coolers, mixes it with engine compartment air, then exhausts it out two side vents.



Bobcat serviceability is unsurpassed. Simply open the swing-out tailgate for full access to the engine's checks and fills, filters and battery. Shop time is spent repairing, not gaining access.

Setting the standard for comfort, safety and visibility. The T-250 cab is designed to give you more operator comfort and better all-around visibility.



The optional, fully-adjustable suspension seat allows comfortable all-day operation. The innovative seat bar pivots from the rear, providing secondary restraint protection and serving as a comfortable armrest for operators of all sizes.



Climate-controlled cab. High-visibility front door — with 49% more glass — includes wiper and washer. Along with top, rear and side windows, it will completely seal the cab for efficient heater/vent/air conditioning use.



All-around visibility. Bobcat cab design gives you a super view in all directions.

State-of-the-art instrument panels provide dozens of operational features, diagnostics and monitoring. Optional deluxe instrument panel includes keyless start security system, feature lockouts, digital time and job clocks, multi-language display, even a "help" menu.



Left
Side Standard Instrument Panel



Right
Side Standard Instrument Panel



Optional
Deluxe Instrument Panel

T250

Specifications

Machine Rating	T250	T250H
Rated operating capacity (ISO 5998)	1200 kg	
Tipping load (ISO 8313)	3428 kg	
Pump capacity at high idle	80.3 l/min	151.4 l/min
System relief at Quick Couplers	227.5 Bar	
Travel speed	10.1 km/h	

Engine

Make / Model	Kubota / V3300-DI-T turbo
Fuel / Cooling	Diesel / Liquid
Power at 2400 RPM (ISO 9249)	58 kW
Torque at 1400 RPM (ISO 9249)	287 Nm
Number of cylinders	4
Displacement	3.3 l
Fuel tank	113.6 l

Weights

Operating weight	4186 kg	4206 kg
------------------	---------	---------

Controls

Vehicle steering	Direction and speed controlled by two hand levers
Loader hydraulics tilt and lift	Separate foot pedals or optional Advanced Control System (ACS)
Front auxiliary (standard)	Electrical switch on right-hand steering lever

Drive System

Transmission	Infinitely variable tandem hydrostatic piston pumps, driving two fully reversing hydrostatic motors
--------------	---

Standard Features

Adjustable suspension seat	Hydraulic bucket positioning
Automatically activated glow-plugs	Instrumentation
Bob-Tach™ frame	Lift arm support
Bobcat Interlock Control System (BICS)	Operating lights, front and rear
Deluxe operator cab Includes interior cab foam, side, top and rear windows	Parking brake
Cab door	Seat belt
Electrically activated proportional front auxiliary hydraulics	Seat bar
Engine/hydraulics system shutdown	Turbo-charger with approved spark arrester
	Tracks — rubber — 450 mm
	CE certification

Options

Advanced Control System (ACS)	Deluxe instrument panel
Advanced Hand Controls (AHC)	Power Bob-Tach™
Air conditioning	Selectable Joystick Controls (SJC)
Cab enclosure with heat	

Attachments

Angle blade	Planer*
Angle broom*†	Rear stabiliser
Auger	Scarifier
Backhoe	Snow blower*
Box blade	Sod layer*
Brushcat rotary cutter	Soil conditioner*
Buckets	Spreader
Chipper*	Stump grinder*
Combination bucket	Super scraper
Concrete pump*	Sweeper
Cutter crusher*	Three-point hitch
Digger	Tiller
Dozer blade*	Tilt-Tatch™
Dumping hopper	Tracks, steel
Farm grapple	Tree transplanter*
Grader*	Trench compactor
Hydraulic breaker**	Trencher
Industrial grapple	Utility forks
Landplane	Utility frame
Landscape rake	Vibratory roller
Mixing bucket*	Water kit
Pallet fork – hydraulic	Wheel saw
Pallet fork – standard	Whisker broom

* Attachment control kit required.

** When operating the loader with this attachment, a Special Applications Kit, which includes a 12 mm Lexan front door with 6 mm top and rear windows, must be used.

† Optional water kit.

Dimensions

All dimensions in mm.

